



HEAT & GLO™
Where everything comes together



Gem Series
Gas Fireplaces



Hard working
& good looking



Top photo: Model GEM-36B shown with pewter Chateau Deluxe Front and custom surround.

Above photo: Model GEM-36B shown with pewter Chateau Front, Astoria mantel and green marble, and optional Heat Zone® System.

Cover photo: Model GEM-42B shown with pewter Chateau Deluxe Front, custom masonry surround and Sierra log mantel shelf.



Multi-function wall control ships standard (WSK210-HNG)

It is possible to be strong and beautiful, all at the same time. Gem provides the proof. It takes serious heat output—enough to heat multiple rooms—and stylishly wraps it in a classic arched fireplace. Plus it's incredibly efficient, making the most out of every Btu. Works like a furnace, looks like a million. Gem has got it all.



GEM-36 shown with pewter Chateau front and custom masonry surround.

Our patented FireBrick® technology creates a true arched firebox—it's not a metal square with an arched front—for an authentic, masonry-like look and a large, unobstructed view.

Optional Heat Zone® system puts all the heat to use, redirecting any excess warm air to other areas of the home.

Available in 36" and 42" models.

Gem

Robust heat, high efficiency and arched elegance—it's a powerful combination.

Decorative Fronts and Doors

Customize Gem with one of these fronts or doors, each available in various finishes.

Chateau Front

CHA-GEM36/42



Available in black, brushed nickel, bronze, pewter and polished brass

Chateau Deluxe Front

CHAD-GEM36/42



Available in bronze and pewter

Scroll Doors

DF-GEM36/42SC



Available in black and bronze
(Requires DF-GEM36-FR frame)

Craftsman Doors


DF-GEM36/42CR



Available in black and bronze
(Requires DF-GEM36-FR frame)

Gem Specifications

MODEL	HEIGHT		FRONT WIDTH		BACK WIDTH		DEPTH		GLASS SIZE	BTU INPUT
	Actual	Framing	Actual	Framing	Actual	Framing	Actual	Framing		
GEM-36B	42-13/16 [1088]	43	41	41-1/2	36-3/16 [919]	41-1/2	17-1/2	17-1/2	33-1/2 x 20-1/4"	23,000-37,500 Btu/Hour (NG)
GEM-42B	47-1/2	47-3/4	46-3/4	47-1/2	41-3/4	47-12	17-1/2	17-1/2	39 x 24"	35,000-47,000 Btu/Hour (NG)



Dimensions above are in inches. Reference dimensions only. We recommend measuring individual units at installation. Assumes the use of 1/2" Sheetrock. NOTE: Non-combustible material is allowed over this dimension. Make sure you do NOT cover the decorative door opening.

Refer to installation manual for detailed specifications on installing this product. Heat & Glo reserves the right to update units periodically. The flame and ember appearance may vary based on the type of fuel burned and the venting configuration used. Pictures in this brochure are not a true representation of the fireplace, flames and/or finishes.

Gem Features

- Arched FireBrick® firebox in herringbone pattern
- Wireless wall switch (WSK210-HNG)
- AFUE rated
- Fan kit
- Variable valve
- Electronic ignition system
- Sealed combustion chamber, top direct vent
- 23,000-37,500 Btu/Hour Input (NG) (36")
- 35,000-47,000 Btu/Hour Input (NG) (42")
- Optional multi-function remote system
- Optional heat management systems—Heat Zone®, Heat Duct and Heat Out.

Healthy Hearth

Our direct vent fireplaces will not alter the quality of indoor room air in any way. They utilize a sealed combustion chamber that draws in fresh air from outdoors and discards all combustion by-products back outside.

Limited Lifetime Warranty

The strongest in the industry, Heat & Glo guarantees protection for all gas units, including a lifetime warranty of the most important aspects: fiber logs, stainless steel burner, firebox and heat exchanger.

Heat Zone

Heat Zone climate control system turns your fireplace into a flexible, energy-saving heat source by transferring excess heat from your fireplace to other locations in your home.

Heat Duct

Optional Heat Duct system improves furnace efficiency and room comfort by pulling excess heat away from the fireplace, out of the hearth room and into your furnace's cold air return ducting.

Heat Out

Optional Heat Out climate control system redistributes heat outside the home to keep fireplace room comfortable.

HEAT & GLO

20802 Kensington Boulevard, Lakeville, MN 55044
(888) 427-3973 (952) 985-6000

Email: info@heatnglo.com
Web: heatnglo.com

A brand of Hearth & Home Technologies, Inc.

